

Zertifikat

Certificate

Registrier-Nr.

Registered No.

44 326 12 104406

Zeichen des Auftraggebers
Customer's reference

Paul Cowling

Auftragsdatum
Date of order

10.06.2013

Aktenzeichen
File reference

2.4- 758/97 Moz/Tän

Prüfbericht Nr.
Test report no.

13 326 122573

**Name und Anschrift
des Auftraggebers**

**Instant UpRight
Unit S1, Park West Industrial Park,
Friel Avenue, Nangor Road
Dublin 12, Ireland**

*Name and address of
the customer*

ist berechtigt, das unten
genannte Produkt
mit dem abgebildeten Zeichen
zu kennzeichnen



*is authorized to
provide the product
mentioned below with
the mark as illustrated*

Fertigungsstätte

**Instant UpRight
Unit S1, Park West Industrial Park,
Friel Avenue, Nangor Road
Dublin 12, Ireland**

Manufacturing plant

Geprüft nach

DIN EN 1004:2005-03

Tested in accordance with

Das Produkt entspricht den Anforderungen des Produktsicherheitsgesetzes ProdSG § 21
The product is conform with the requirements of the Product Safety Act – ProdSG § 21


**Beschreibung des
Produktes**
(Details s. Anlage 1)

Fahrgerüst
(*Mobile access and working tower*)
Snap-Out

Description of product
(*Details see Annex 1*)

TÜV NORD CERT GmbH
Zertifizierungsstelle
Fachleiter Konsumgüter

Gültig bis / Valid until: 10.06.2018



Essen, 11.06.2013

Bitte beachten Sie auch die umseitigen Hinweise
Please also pay attention to the information stated overleaf

Typbezeichnung: Type:	Snap-Out
Konstruktionsart: Kind of construction:	Aluminiumrohrkonstruktion Al-Alloy-design
Plattformhöhe: Platform height:	8 m im Freien (<i>outdoor</i>) 12 m in Innenräumen (<i>indoor</i>)
Tragfähigkeit: Load:	Gerüstgruppe 3 (2 kN/m ²) Scafol group 3 (2 kN/m ²)
Maßnahmen zur Standsicherheit: Device for stability:	Ausleger (outrigger) Typ 50430 (bis 6m) Ausleger (outrigger) Typ 9090 (> 6 m)
Plattformgrößen: Platform size:	1290 mm x 1290 mm 1829 mm x 1829 mm
Prüfunterlagen: Test documents	Prüfmuster, Zeichnungen, Montageanleitung

Die oben aufgeführten Produkte dürfen wie folgt gekennzeichnet werden:
The above mentioned products could be provided with the following marking:

TÜV NORD CERT GmbH
Zertifizierungsstelle
Fachleiter Konsumgüter



TÜV NORD CERT GmbH
Langemarckstrasse 20
45141 Essen
Tel.: +49 201 8255120
e-mail: prodcert@tuev-nord.de

Technical Report

Testing Laboratory
Product Safety

Report No. 13326122573 dated 10.06.2013

Applicant: Instant UpRight
Unit S1, Park West Industrial Park,
Friel Avenue, Nangor Road, Dublin 12, Ireland

Device under test: Mobile access and working tower
Type: Snap Out

Test principles: DIN EN 1004: 2005-03

Order no.: 8000421628

File no.: 2.4-758/97

Test engineer: Dr. Modziewski

Testing period: June 2013

Place of testing: TÜV NORD CERT GmbH

The report consists of 3 pages

1. General

Technical Ratings:

Platform height:	8 m (outdoor) 12 m (indoor)
Platform size:	1290 mm x 1290 mm 1829 mm x 1829 mm
Material:	EN AW 6082
Load:	2 kN/m ² (scaffold group 3)
Device for stability:	Outrigger type 50430 (up to 8 m) Outrigger type 9090 (> 8 m)
Access:	Vertical ladder

Type of examination: GS-license test (recertification)

2. Submitted files


The submitted files used for the certificate no. 44 312 08 359849-004 will be valid furthermore.

3. Preliminary note

The above described mobile access and working tower type Snap Out is identical with the mobile access and working tower described in the GS approval certificate no. 44 312 08 359849-004. The reinspection has been necessary because the certificate has been expired.

4. Test result

The referencend units are in compliance with the above requirements furthermore.



Albert Brinkmann



Dr. Norbert Modziewski